



Description Kinesis Chandelier is a modular lighting system fabricated from solid brass components, supporting

blown glass diffusers. The Kinesis 3.18 exampled above is arranged with six blown glass diffusers per layer, with three layers; totaling eighteen diffusers. Some standard options are shown on the next page.

Customization of Kinesis is available.

Year of Design 2018


Material Solid Brass armature with adjustable blown glass diffusers.



Kinesis Chandelier: Available Sizes & Product Codes


Kinesis M.12

32"L x 32"W x 55"H Body 12 bubbles total




Kinesis 3.18

44"L x 44"W x 46"H Body 18 bubbles total



Kinesis 1.12

53"L x 26"W x 16"H Body 12 bubbles total



Specifications

- Kinesis Chandelier is a modular lighting fixture that can be adapted into many unique configurations.
- $\bullet\,$ UL and CE certification available in 110V and 220V configurations at additional cost.
- Each diffuser contains one incandescent socket that accepts a 120V 25W incandescent T6.5 bulb.
- Bulbs can be replaced by using allen key (provided) to adjust diffuser outward from socket.
- Standard OAD is 36"H. Stem length can be increased per specifications at additional cost.
- Stem is NOT field adjustable. Standard canopy diameter is 6"
- Custom configurations are available. Ask a sales representative for more information.

Available Finishes

- Standard Metal Finishes: Satin Brass (SB), Antique Brass (AB), or Blackened Brass (BB).
- Premium Metal Finishes: Satin Nickel (SN), Polished Nickel (PN), or Polished Brass (PB) available at additional cost.
- Diffuser Finishes: Clear Glass, Smoke Glass, or Clear Frosted Glass.